



Austin Semiconductor, Inc.
8701 Cross Park Drive, Austin, TX 78754-4566

Product Change Notification – PCN

PCN - 0826

PCN ISSUE DATE	PCN #	PCN TYPE	LTB #	LTB DATE	DELIVERY FLEX (schd.)
6/24/2008	0826	CLASS 1	NA	NA	NA
SAMPLE ORDER START DATE					NA
NEW MATERIAL QUALIFICATION					NA
NEW MATERIAL FULL PRODUCTION DATE					NA

Dear Valued Customer,

Austin Semiconductor, Inc. is notifying our valued customers of a Class 1-Product Change Notification [PCN] to our 256Kb SRAM device group within its Hi-Reliability product family. This PCN is for a product End Of Life (EOL) announcement and affects several devices within the 256Kb SRAM family offered by Austin Semiconductor and identified as our MT5C2561, MT5C2564, MT5C2565, AS5C2568 and MT5C2568 devices and associated DSCC-SMD drawings listed below. These 256Kb SRAM devices are offered in Industrial, Mil-Temp and full military processing in a variety of ceramic package styles.

This information will be placed in the Obsolete product section of our website for those customers who may need this material for future reference.

The affected parts are identified below:

Austin PN	SMD [5962-]	Detailed Description
AS5C2568CW-12L/IT	n/a	256Kb, 32K x 8 SRAM, 12ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Industrial
AS5C2568CW-12L/XT	n/a	256Kb, 32K x 8 SRAM, 12ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Mil-Temp
AS5C2568CW-12L/883C	8855213XA	256Kb, 32K x 8 SRAM, 12ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Full Mil
AS5C2568CW-15L/IT	n/a	256Kb, 32K x 8 SRAM, 15ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Industrial
AS5C2568CW-15L/XT	n/a	256Kb, 32K x 8 SRAM, 15ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Mil-Temp
AS5C2568CW-15L/883C	8855212XA	256Kb, 32K x 8 SRAM, 15ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Full Mil
AS5C2568CW-17L/IT	n/a	256Kb, 32K x 8 SRAM, 17ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Industrial
AS5C2568CW-17L/XT	n/a	256Kb, 32K x 8 SRAM, 17ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Mil-Temp
AS5C2568CW-17L/883C	8855211XA	256Kb, 32K x 8 SRAM, 17ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Full Mil
AS5C2568CW-20L/IT	n/a	256Kb, 32K x 8 SRAM, 20ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Industrial
AS5C2568CW-20L/XT	n/a	256Kb, 32K x 8 SRAM, 20ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Mil-Temp
AS5C2568CW-20L/883C	8855210XA	256Kb, 32K x 8 SRAM, 20ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Full Mil
AS5C2568CW-25L/IT	n/a	256Kb, 32K x 8 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Industrial
AS5C2568CW-25L/XT	n/a	256Kb, 32K x 8 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Mil-Temp
AS5C2568CW-25L/883C	8855206XA	256Kb, 32K x 8 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Full Mil
AS5C2568CW-35L/IT	n/a	256Kb, 32K x 8 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Industrial
AS5C2568CW-35L/XT	n/a	256Kb, 32K x 8 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Mil-Temp
AS5C2568CW-35L/883C	8855205XA	256Kb, 32K x 8 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Full Mil

(Con't)

Austin PN	SMD [5962-]	Detailed Description
AS5C2568CW-45L/IT	n/a	256Kb, 32K x 8 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Industrial
AS5C2568CW-45L/XT	n/a	256Kb, 32K x 8 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Mil-Temp
AS5C2568CW-45L/883C	8855209XA	256Kb, 32K x 8 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Full Mil
AS5C2568CW-55L/IT	n/a	256Kb, 32K x 8 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Industrial
AS5C2568CW-55L/XT	n/a	256Kb, 32K x 8 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Mil-Temp
AS5C2568CW-55L/883C	8855208XA	256Kb, 32K x 8 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Full Mil
AS5C2568CW-70L/IT	n/a	256Kb, 32K x 8 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Industrial
AS5C2568CW-70L/XT	n/a	256Kb, 32K x 8 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Mil-Temp
AS5C2568CW-70L/883C	8855207XA	256Kb, 32K x 8 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Full Mil
AS5C2568CW-100L/IT	n/a	256Kb, 32K x 8 SRAM, 100ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Industrial
AS5C2568CW-100L/XT	n/a	256Kb, 32K x 8 SRAM, 100ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Mil-Temp
AS5C2568CW-100L/883C	n/a	256Kb, 32K x 8 SRAM, 100ns, 5.0V w/2.0V Data Retention, 28 pin-600mil CDIP, Full Mil
AS5C2568ECW-12L/IT	n/a	256Kb, 32K x 8 SRAM, 12ns, 5.0V w/2.0V Data Retention, 32 LCC, Industrial
AS5C2568ECW-12L/XT	n/a	256Kb, 32K x 8 SRAM, 12ns, 5.0V w/2.0V Data Retention, 32 LCC, Mil-Temp
AS5C2568ECW-12L/883C	8855213YA	256Kb, 32K x 8 SRAM, 12ns, 5.0V w/2.0V Data Retention, 32 LCC, Full Mil
AS5C2568ECW-15L/IT	n/a	256Kb, 32K x 8 SRAM, 15ns, 5.0V w/2.0V Data Retention, 32 LCC, Industrial
AS5C2568ECW-15L/XT	n/a	256Kb, 32K x 8 SRAM, 15ns, 5.0V w/2.0V Data Retention, 32 LCC, Mil-Temp
AS5C2568ECW-15L/883C	8855212YA	256Kb, 32K x 8 SRAM, 15ns, 5.0V w/2.0V Data Retention, 32 LCC, Full Mil
AS5C2568ECW-17L/IT	n/a	256Kb, 32K x 8 SRAM, 17ns, 5.0V w/2.0V Data Retention, 32 LCC, Industrial
AS5C2568ECW-17L/XT	n/a	256Kb, 32K x 8 SRAM, 17ns, 5.0V w/2.0V Data Retention, 32 LCC, Mil-Temp
AS5C2568ECW-17L/883C	8855211YA	256Kb, 32K x 8 SRAM, 17ns, 5.0V w/2.0V Data Retention, 32 LCC, Full Mil
AS5C2568ECW-20L/IT	n/a	256Kb, 32K x 8 SRAM, 20ns, 5.0V w/2.0V Data Retention, 32 LCC, Industrial
AS5C2568ECW-20L/XT	n/a	256Kb, 32K x 8 SRAM, 20ns, 5.0V w/2.0V Data Retention, 32 LCC, Mil-Temp
AS5C2568ECW-20L/883C	8855210YA	256Kb, 32K x 8 SRAM, 20ns, 5.0V w/2.0V Data Retention, 32 LCC, Full Mil
AS5C2568ECW-25L/IT	n/a	256Kb, 32K x 8 SRAM, 25ns, 5.0V w/2.0V Data Retention, 32 LCC, Industrial
AS5C2568ECW-25L/XT	n/a	256Kb, 32K x 8 SRAM, 25ns, 5.0V w/2.0V Data Retention, 32 LCC, Mil-Temp
AS5C2568ECW-25L/883C	8855206YA	256Kb, 32K x 8 SRAM, 25ns, 5.0V w/2.0V Data Retention, 32 LCC, Full Mil
AS5C2568ECW-35L/IT	n/a	256Kb, 32K x 8 SRAM, 35ns, 5.0V w/2.0V Data Retention, 32 LCC, Industrial
AS5C2568ECW-35L/XT	n/a	256Kb, 32K x 8 SRAM, 35ns, 5.0V w/2.0V Data Retention, 32 LCC, Mil-Temp
AS5C2568ECW-35L/883C	8855205YA	256Kb, 32K x 8 SRAM, 35ns, 5.0V w/2.0V Data Retention, 32 LCC, Full Mil
AS5C2568ECW-45L/IT	n/a	256Kb, 32K x 8 SRAM, 45ns, 5.0V w/2.0V Data Retention, 32 LCC, Industrial
AS5C2568ECW-45L/XT	n/a	256Kb, 32K x 8 SRAM, 45ns, 5.0V w/2.0V Data Retention, 32 LCC, Mil-Temp
AS5C2568ECW-45L/883C	8855209YA	256Kb, 32K x 8 SRAM, 45ns, 5.0V w/2.0V Data Retention, 32 LCC, Full Mil
AS5C2568ECW-55L/IT	n/a	256Kb, 32K x 8 SRAM, 55ns, 5.0V w/2.0V Data Retention, 32 LCC, Industrial
AS5C2568ECW-55L/XT	n/a	256Kb, 32K x 8 SRAM, 55ns, 5.0V w/2.0V Data Retention, 32 LCC, Mil-Temp
AS5C2568ECW-55L/883C	8855208YA	256Kb, 32K x 8 SRAM, 55ns, 5.0V w/2.0V Data Retention, 32 LCC, Full Mil
AS5C2568ECW-70L/IT	n/a	256Kb, 32K x 8 SRAM, 70ns, 5.0V w/2.0V Data Retention, 32 LCC, Industrial
AS5C2568ECW-70L/XT	n/a	256Kb, 32K x 8 SRAM, 70ns, 5.0V w/2.0V Data Retention, 32 LCC, Mil-Temp
AS5C2568ECW-70L/883C	8855207YA	256Kb, 32K x 8 SRAM, 70ns, 5.0V w/2.0V Data Retention, 32 LCC, Full Mil
AS5C2568ECW-100L/IT	n/a	256Kb, 32K x 8 SRAM, 100ns, 5.0V w/2.0V Data Retention, 32 LCC, Industrial
AS5C2568ECW-100L/XT	n/a	256Kb, 32K x 8 SRAM, 100ns, 5.0V w/2.0V Data Retention, 32 LCC, Mil-Temp
AS5C2568ECW-100L/883C	n/a	256Kb, 32K x 8 SRAM, 100ns, 5.0V w/2.0V Data Retention, 32 LCC, Full Mil
MT5C2561C-25/IT	n/a	256Kb, 256K X 1 SRAM, 25ns, 5.0V, 24 pin-300mil CDIP, Industrial
MT5C2561C-25L/IT	n/a	256Kb, 256K X 1 SRAM, 25ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Industrial
MT5C2561C-25/XT	n/a	256Kb, 256K X 1 SRAM, 25ns, 5.0V, 24 pin-300mil CDIP, Mil-Temp
MT5C2561C-25L/XT	n/a	256Kb, 256K X 1 SRAM, 25ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Mil-Temp
MT5C2561C-25/883C	8872505LA	256Kb, 256K X 1 SRAM, 25ns, 5.0V, 24 pin-300mil CDIP, Full Mil
MT5C2561C-25L/883C	n/a	256Kb, 256K X 1 SRAM, 25ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Full Mil
MT5C2561C-35/IT	n/a	256Kb, 256K X 1 SRAM, 35ns, 5.0V, 24 pin-300mil CDIP, Industrial
MT5C2561C-35L/IT	n/a	256Kb, 256K X 1 SRAM, 35ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Industrial
MT5C2561C-35/XT	n/a	256Kb, 256K X 1 SRAM, 35ns, 5.0V, 24 pin-300mil CDIP, Mil-Temp
MT5C2561C-35L/XT	n/a	256Kb, 256K X 1 SRAM, 35ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Mil-Temp
MT5C2561C-35/883C	8872501LA	256Kb, 256K X 1 SRAM, 35ns, 5.0V, 24 pin-300mil CDIP, Full Mil
MT5C2561C-35L/883C	8854401LA	256Kb, 256K X 1 SRAM, 35ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Full Mil

(Con't)

Austin PN	SMD [5962-]	Detailed Description
MT5C2561C-45/IT	n/a	256Kb, 256K X 1 SRAM, 45ns, 5.0V, 24 pin-300mil CDIP, Industrial
MT5C2561C-45L/IT	n/a	256Kb, 256K X 1 SRAM, 45ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Industrial
MT5C2561C-45/XT	n/a	256Kb, 256K X 1 SRAM, 45ns, 5.0V, 24 pin-300mil CDIP, Mil-Temp
MT5C2561C-45L/XT	n/a	256Kb, 256K X 1 SRAM, 45ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Mil-Temp
MT5C2561C-45/883C	8872502LA	256Kb, 256K X 1 SRAM, 45ns, 5.0V, 24 pin-300mil CDIP, Full Mil
MT5C2561C-45L/883C	8854402LA	256Kb, 256K X 1 SRAM, 45ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Full Mil
MT5C2561C-55/IT	n/a	256Kb, 256K X 1 SRAM, 55ns, 5.0V, 24 pin-300mil CDIP, Industrial
MT5C2561C-55L/IT	n/a	256Kb, 256K X 1 SRAM, 55ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Industrial
MT5C2561C-55/XT	n/a	256Kb, 256K X 1 SRAM, 55ns, 5.0V, 24 pin-300mil CDIP, Mil-Temp
MT5C2561C-55L/XT	n/a	256Kb, 256K X 1 SRAM, 55ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Mil-Temp
MT5C2561C-55/883C	8872503LA	256Kb, 256K X 1 SRAM, 55ns, 5.0V, 24 pin-300mil CDIP, Full Mil
MT5C2561C-55L/883C	8854403LA	256Kb, 256K X 1 SRAM, 55ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Full Mil
MT5C2561C-70/IT	n/a	256Kb, 256K X 1 SRAM, 70ns, 5.0V, 24 pin-300mil CDIP, Industrial
MT5C2561C-70L/IT	n/a	256Kb, 256K X 1 SRAM, 70ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Industrial
MT5C2561C-70/XT	n/a	256Kb, 256K X 1 SRAM, 70ns, 5.0V, 24 pin-300mil CDIP, Mil-Temp
MT5C2561C-70L/XT	n/a	256Kb, 256K X 1 SRAM, 70ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Mil-Temp
MT5C2561C-70/883C	8872504LA	256Kb, 256K X 1 SRAM, 70ns, 5.0V, 24 pin-300mil CDIP, Full Mil
MT5C2561C-70L/883C	8854404LA	256Kb, 256K X 1 SRAM, 70ns, 5.0V w/2.0V Data Retention, 24 pin-300mil CDIP, Full Mil
MT5C2561EC-25/IT	n/a	256Kb, 256K X 1 SRAM, 25ns, 5.0V, 28 LCC, Industrial
MT5C2561EC-25L/IT	n/a	256Kb, 256K X 1 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2561EC-25/XT	n/a	256Kb, 256K X 1 SRAM, 25ns, 5.0V, 28 LCC, Mil-Temp
MT5C2561EC-25L/XT	n/a	256Kb, 256K X 1 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2561EC-25/883C	8872505XA	256Kb, 256K X 1 SRAM, 25ns, 5.0V, 28 LCC, Full Mil
MT5C2561EC-25L/883C	n/a	256Kb, 256K X 1 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2561EC-35/IT	n/a	256Kb, 256K X 1 SRAM, 35ns, 5.0V, 28 LCC, Industrial
MT5C2561EC-35L/IT	n/a	256Kb, 256K X 1 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2561EC-35/XT	n/a	256Kb, 256K X 1 SRAM, 35ns, 5.0V, 28 LCC, Mil-Temp
MT5C2561EC-35L/XT	n/a	256Kb, 256K X 1 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2561EC-35/883C	8872501XA	256Kb, 256K X 1 SRAM, 35ns, 5.0V, 28 LCC, Full Mil
MT5C2561EC-35L/883C	8854401XA	256Kb, 256K X 1 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2561EC-45/IT	n/a	256Kb, 256K X 1 SRAM, 45ns, 5.0V, 28 LCC, Industrial
MT5C2561EC-45L/IT	n/a	256Kb, 256K X 1 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2561EC-45/XT	n/a	256Kb, 256K X 1 SRAM, 45ns, 5.0V, 28 LCC, Mil-Temp
MT5C2561EC-45L/XT	n/a	256Kb, 256K X 1 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2561EC-45/883C	8872502XA	256Kb, 256K X 1 SRAM, 45ns, 5.0V, 28 LCC, Full Mil
MT5C2561EC-45L/883C	8854402XA	256Kb, 256K X 1 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2561EC-55/IT	n/a	256Kb, 256K X 1 SRAM, 55ns, 5.0V, 28 LCC, Industrial
MT5C2561EC-55L/IT	n/a	256Kb, 256K X 1 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2561EC-55/XT	n/a	256Kb, 256K X 1 SRAM, 55ns, 5.0V, 28 LCC, Mil-Temp
MT5C2561EC-55L/XT	n/a	256Kb, 256K X 1 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2561EC-55/883C	8872503XA	256Kb, 256K X 1 SRAM, 55ns, 5.0V, 28 LCC, Full Mil
MT5C2561EC-55L/883C	8854403XA	256Kb, 256K X 1 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2561EC-70/IT	n/a	256Kb, 256K X 1 SRAM, 70ns, 5.0V, 28 LCC, Industrial
MT5C2561EC-70L/IT	n/a	256Kb, 256K X 1 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2561EC-70/XT	n/a	256Kb, 256K X 1 SRAM, 70ns, 5.0V, 28 LCC, Mil-Temp
MT5C2561EC-70L/XT	n/a	256Kb, 256K X 1 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2561EC-70/883C	8872504XA	256Kb, 256K X 1 SRAM, 70ns, 5.0V, 28 LCC, Full Mil
MT5C2561EC-70L/883C	8854404XA	256Kb, 256K X 1 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2564EC-15/IT	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V, 28 LCC, Industrial
MT5C2564EC-15L/IT	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2564EC-15/XT	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V, 28 LCC, Mil-Temp
MT5C2564EC-15L/XT	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2564EC-15/883C	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V, 28 LCC, Full Mil
MT5C2564EC-15L/883C	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2564EC-20/IT	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V, 28 LCC, Industrial
MT5C2564EC-20L/IT	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2564EC-20/XT	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V, 28 LCC, Mil-Temp
MT5C2564EC-20L/XT	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2564EC-20/883C	8868106XA	256Kb, 64K X 4 SRAM, 20ns, 5.0V, 28 LCC, Full Mil
MT5C2564EC-20L/883C	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil

(Con't)

Austin PN	SMD [5962-]	Detailed Description
MT5C2564EC-25/IT	n/a	256Kb, 64K X 4 SRAM, 25ns, 5.0V, 28 LCC, Industrial
MT5C2564EC-25L/IT	n/a	256Kb, 64K X 4 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2564EC-25/XT	n/a	256Kb, 64K X 4 SRAM, 25ns, 5.0V, 28 LCC, Mil-Temp
MT5C2564EC-25L/XT	n/a	256Kb, 64K X 4 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2564EC-25/883C	8868105XA	256Kb, 64K X 4 SRAM, 25ns, 5.0V, 28 LCC, Full Mil
MT5C2564EC-25L/883C	n/a	256Kb, 64K X 4 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2564EC-35/IT	n/a	256Kb, 64K X 4 SRAM, 35ns, 5.0V, 28 LCC, Industrial
MT5C2564EC-35L/IT	n/a	256Kb, 64K X 4 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2564EC-35/XT	n/a	256Kb, 64K X 4 SRAM, 35ns, 5.0V, 28 LCC, Mil-Temp
MT5C2564EC-35L/XT	n/a	256Kb, 64K X 4 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2564EC-35/883C	8868101XA	256Kb, 64K X 4 SRAM, 35ns, 5.0V, 28 LCC, Full Mil
MT5C2564EC-35L/883C	8854501XA	256Kb, 64K X 4 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2564EC-45/IT	n/a	256Kb, 64K X 4 SRAM, 45ns, 5.0V, 28 LCC, Industrial
MT5C2564EC-45L/IT	n/a	256Kb, 64K X 4 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2564EC-45/XT	n/a	256Kb, 64K X 4 SRAM, 45ns, 5.0V, 28 LCC, Mil-Temp
MT5C2564EC-45L/XT	n/a	256Kb, 64K X 4 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2564EC-45/883C	8868102XA	256Kb, 64K X 4 SRAM, 45ns, 5.0V, 28 LCC, Full Mil
MT5C2564EC-45L/883C	8854502XA	256Kb, 64K X 4 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2564EC-55/IT	n/a	256Kb, 64K X 4 SRAM, 55ns, 5.0V, 28 LCC, Industrial
MT5C2564EC-55L/IT	n/a	256Kb, 64K X 4 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2564EC-55/XT	n/a	256Kb, 64K X 4 SRAM, 55ns, 5.0V, 28 LCC, Mil-Temp
MT5C2564EC-55L/XT	n/a	256Kb, 64K X 4 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2564EC-55/883C	8868103XA	256Kb, 64K X 4 SRAM, 55ns, 5.0V, 28 LCC, Full Mil
MT5C2564EC-55L/883C	8854503XA	256Kb, 64K X 4 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2564EC-70/IT	n/a	256Kb, 64K X 4 SRAM, 70ns, 5.0V, 28 LCC, Industrial
MT5C2564EC-70L/IT	n/a	256Kb, 64K X 4 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2564EC-70/XT	n/a	256Kb, 64K X 4 SRAM, 70ns, 5.0V, 28 LCC, Mil-Temp
MT5C2564EC-70L/XT	n/a	256Kb, 64K X 4 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2564EC-70/883C	8868104XA	256Kb, 64K X 4 SRAM, 70ns, 5.0V, 28 LCC, Full Mil
MT5C2564EC-70L/883C	8854504XA	256Kb, 64K X 4 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2564F-15/IT	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V, 28LD Flat Pack, Industrial
MT5C2564F-15L/IT	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Industrial
MT5C2564F-15/XT	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V, 28LD Flat Pack, Mil-Temp
MT5C2564F-15L/XT	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Mil-Temp
MT5C2564F-15/883C	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V, 28LD Flat Pack, Full Mil
MT5C2564F-15L/883C	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Full Mil
MT5C2564F-20/IT	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V, 28LD Flat Pack, Industrial
MT5C2564F-20L/IT	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Industrial
MT5C2564F-20/XT	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V, 28LD Flat Pack, Mil-Temp
MT5C2564F-20L/XT	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Mil-Temp
MT5C2564F-20/883C	8868106YA	256Kb, 64K X 4 SRAM, 20ns, 5.0V, 28LD Flat Pack, Full Mil
MT5C2564F-20L/883C	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Full Mil
MT5C2564F-25/IT	n/a	256Kb, 64K X 4 SRAM, 25ns, 5.0V, 28LD Flat Pack, Industrial
MT5C2564F-25L/IT	n/a	256Kb, 64K X 4 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Industrial
MT5C2564F-25/XT	n/a	256Kb, 64K X 4 SRAM, 25ns, 5.0V, 28LD Flat Pack, Mil-Temp
MT5C2564F-25L/XT	n/a	256Kb, 64K X 4 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Mil-Temp
MT5C2564F-25/883C	8868105YA	256Kb, 64K X 4 SRAM, 25ns, 5.0V, 28LD Flat Pack, Full Mil
MT5C2564F-25L/883C	n/a	256Kb, 64K X 4 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Full Mil
MT5C2564F-35/IT	n/a	256Kb, 64K X 4 SRAM, 35ns, 5.0V, 28LD Flat Pack, Industrial
MT5C2564F-35L/IT	n/a	256Kb, 64K X 4 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Industrial
MT5C2564F-35/XT	n/a	256Kb, 64K X 4 SRAM, 35ns, 5.0V, 28LD Flat Pack, Mil-Temp
MT5C2564F-35L/XT	n/a	256Kb, 64K X 4 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Mil-Temp
MT5C2564F-35/883C	8868101YA	256Kb, 64K X 4 SRAM, 35ns, 5.0V, 28LD Flat Pack, Full Mil
MT5C2564F-35L/883C	88854501YA	256Kb, 64K X 4 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Full Mil
MT5C2564F-45/IT	n/a	256Kb, 64K X 4 SRAM, 45ns, 5.0V, 28LD Flat Pack, Industrial
MT5C2564F-45L/IT	n/a	256Kb, 64K X 4 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Industrial
MT5C2564F-45/XT	n/a	256Kb, 64K X 4 SRAM, 45ns, 5.0V, 28LD Flat Pack, Mil-Temp
MT5C2564F-45L/XT	n/a	256Kb, 64K X 4 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Mil-Temp
MT5C2564F-45/883C	8868102YA	256Kb, 64K X 4 SRAM, 45ns, 5.0V, 28LD Flat Pack, Full Mil
MT5C2564F-45L/883C	8854502YA	256Kb, 64K X 4 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Full Mil

(Con't)

Austin PN	SMD [5962-]	Detailed Description
MT5C2564F-55/IT	n/a	256Kb, 64K X 4 SRAM, 55ns, 5.0V, 28LD Flat Pack, Industrial
MT5C2564F-55L/IT	n/a	256Kb, 64K X 4 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Industrial
MT5C2564F-55/XT	n/a	256Kb, 64K X 4 SRAM, 55ns, 5.0V, 28LD Flat Pack, Mil-Temp
MT5C2564F-55L/XT	n/a	256Kb, 64K X 4 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Mil-Temp
MT5C2564F-55/883C	8868103YA	256Kb, 64K X 4 SRAM, 55ns, 5.0V, 28LD Flat Pack, Full Mil
MT5C2564F-55L/883C	8854503YA	256Kb, 64K X 4 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Full Mil
MT5C2564F-70/IT	n/a	256Kb, 64K X 4 SRAM, 70ns, 5.0V, 28LD Flat Pack, Industrial
MT5C2564F-70L/IT	n/a	256Kb, 64K X 4 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Industrial
MT5C2564F-70/XT	n/a	256Kb, 64K X 4 SRAM, 70ns, 5.0V, 28LD Flat Pack, Mil-Temp
MT5C2564F-70L/XT	n/a	256Kb, 64K X 4 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Mil-Temp
MT5C2564F-70/883C	8868104YA	256Kb, 64K X 4 SRAM, 70ns, 5.0V, 28LD Flat Pack, Full Mil
MT5C2564F-70L/883C	8854504YA	256Kb, 64K X 4 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28LD Flat Pack, Full Mil
MT5C2565EC-15/IT	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V, 28 LCC, Industrial
MT5C2565EC-15L/IT	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2565EC-15/XT	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V, 28 LCC, Mil-Temp
MT5C2565EC-15L/XT	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2565EC-15/883C	8952407YA	256Kb, 64K X 4 SRAM, 15ns, 5.0V, 28 LCC, Full Mil
MT5C2565EC-15L/883C	n/a	256Kb, 64K X 4 SRAM, 15ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2565EC-20/IT	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V, 28 LCC, Industrial
MT5C2565EC-20L/IT	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2565EC-20/XT	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V, 28 LCC, Mil-Temp
MT5C2565EC-20L/XT	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2565EC-20/883C	8952406YA	256Kb, 64K X 4 SRAM, 20ns, 5.0V, 28 LCC, Full Mil
MT5C2565EC-20L/883C	n/a	256Kb, 64K X 4 SRAM, 20ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2565EC-25/IT	n/a	256Kb, 64K X 4 SRAM, 25ns w/OE, 5.0V, 28 LCC, Industrial
MT5C2565EC-25L/IT	n/a	256Kb, 64K X 4 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2565EC-25/XT	n/a	256Kb, 64K X 4 SRAM, 25ns w/OE, 5.0V, 28 LCC, Mil-Temp
MT5C2565EC-25L/XT	n/a	256Kb, 64K X 4 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2565EC-25/883C	8952405YA	256Kb, 64K X 4 SRAM, 25ns w/OE, 5.0V, 28 LCC, Full Mil
MT5C2565EC-25L/883C	n/a	256Kb, 64K X 4 SRAM, 25ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2565EC-35/IT	n/a	256Kb, 64K X 4 SRAM, 35ns w/OE, 5.0V, 28 LCC, Industrial
MT5C2565EC-35L/IT	n/a	256Kb, 64K X 4 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2565EC-35/XT	n/a	256Kb, 64K X 4 SRAM, 35ns, 5.0V w/OE, 28 LCC, Mil-Temp
MT5C2565EC-35L/XT	n/a	256Kb, 64K X 4 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2565EC-35/883C	8952404YA	256Kb, 64K X 4 SRAM, 35ns, 5.0V w/OE, 28 LCC, Full Mil
MT5C2565EC-35L/883C	n/a	256Kb, 64K X 4 SRAM, 35ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2565EC-45/IT	n/a	256Kb, 64K X 4 SRAM, 45ns, 5.0V w/OE, 28 LCC, Industrial
MT5C2565EC-45L/IT	n/a	256Kb, 64K X 4 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2565EC-45/XT	n/a	256Kb, 64K X 4 SRAM, 45ns, 5.0V w/OE, 28 LCC, Mil-Temp
MT5C2565EC-45L/XT	n/a	256Kb, 64K X 4 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2565EC-45/883C	8952403YA	256Kb, 64K X 4 SRAM, 45ns, 5.0V w/OE, 28 LCC, Full Mil
MT5C2565EC-45L/883C	n/a	256Kb, 64K X 4 SRAM, 45ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2565EC-55/IT	n/a	256Kb, 64K X 4 SRAM, 55ns, 5.0V, 28 LCC, Industrial
MT5C2565EC-55L/IT	n/a	256Kb, 64K X 4 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2565EC-55/XT	n/a	256Kb, 64K X 4 SRAM, 55ns, 5.0V, 28 LCC, Mil-Temp
MT5C2565EC-55L/XT	n/a	256Kb, 64K X 4 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2565EC-55/883C	8952402YA	256Kb, 64K X 4 SRAM, 55ns, 5.0V, 28 LCC, Full Mil
MT5C2565EC-55L/883C	n/a	256Kb, 64K X 4 SRAM, 55ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2565EC-70/IT	n/a	256Kb, 64K X 4 SRAM, 70ns, 5.0V, 28 LCC, Industrial
MT5C2565EC-70L/IT	n/a	256Kb, 64K X 4 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28 LCC, Industrial
MT5C2565EC-70/XT	n/a	256Kb, 64K X 4 SRAM, 70ns, 5.0V, 28 LCC, Mil-Temp
MT5C2565EC-70L/XT	n/a	256Kb, 64K X 4 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28 LCC, Mil-Temp
MT5C2565EC-70/883C	8952401YA	256Kb, 64K X 4 SRAM, 70ns, 5.0V, 28 LCC, Full Mil
MT5C2565EC-70L/883C	n/a	256Kb, 64K X 4 SRAM, 70ns, 5.0V w/2.0V Data Retention, 28 LCC, Full Mil
MT5C2568CW-12/IT	n/a	256Kb, 32K x 8 SRAM, 12ns, 5.0V, 28 pin-600mil CDIP, Industrial
MT5C2568CW-12/XT	n/a	256Kb, 32K x 8 SRAM, 12ns, 5.0V, 28 pin-600mil CDIP, Mil-Temp
MT5C2568CW-12/883C	8866209XA	256Kb, 32K x 8 SRAM, 12ns, 5.0V, 28 pin-600mil CDIP, Full Mil
MT5C2568CW-15/IT	n/a	256Kb, 32K x 8 SRAM, 15ns, 5.0V, 28 pin-600mil CDIP, Industrial
MT5C2568CW-15/XT	n/a	256Kb, 32K x 8 SRAM, 15ns, 5.0V, 28 pin-600mil CDIP, Mil-Temp
MT5C2568CW-15/883C	8866208XA	256Kb, 32K x 8 SRAM, 15ns, 5.0V, 28 pin-600mil CDIP, Full Mil

(Con't)

Austin PN	SMD [5962-]	Detailed Description
MT5C2568CW-20/IT	n/a	256Kb, 32K x 8 SRAM w/OE, 20ns, 5.0V, 28 pin-600mil CDIP, Industrial
MT5C2568CW-20/XT	n/a	256Kb, 32K x 8 SRAM w/OE, 20ns, 5.0V, 28 pin-600mil CDIP, Mil-Temp
MT5C2568CW-20/883C	8866207XA	256Kb, 32K x 8 SRAM w/OE, 20ns, 5.0V, 28 pin-600mil CDIP, Full Mil
MT5C2568CW-25/IT	n/a	256Kb, 32K x 8 SRAM w/OE, 25ns, 5.0V, 28 pin-600mil CDIP, Industrial
MT5C2568CW-25/XT	n/a	256Kb, 32K x 8 SRAM w/OE, 25ns, 5.0V, 28 pin-600mil CDIP, Mil-Temp
MT5C2568CW-25/883C	8866206XA	256Kb, 32K x 8 SRAM w/OE, 25ns, 5.0V, 28 pin-600mil CDIP, Full Mil
MT5C2568CW-35/IT	n/a	256Kb, 32K x 8 SRAM w/OE, 35ns, 5.0V, 28 pin-600mil CDIP, Industrial
MT5C2568CW-35/XT	n/a	256Kb, 32K x 8 SRAM w/OE, 35ns, 5.0V, 28 pin-600mil CDIP, Mil-Temp
MT5C2568CW-35/883C	8866205XA	256Kb, 32K x 8 SRAM w/OE, 35ns, 5.0V, 28 pin-600mil CDIP, Full Mil
MT5C2568CW-45/IT	n/a	256Kb, 32K x 8 SRAM w/OE, 45ns, 5.0V, 28 pin-600mil CDIP, Industrial
MT5C2568CW-45/XT	n/a	256Kb, 32K x 8 SRAM w/OE, 45ns, 5.0V, 28 pin-600mil CDIP, Mil-Temp
MT5C2568CW-45/883C	8866204XA	256Kb, 32K x 8 SRAM w/OE, 45ns, 5.0V, 28 pin-600mil CDIP, Full Mil
MT5C2568CW-55/IT	n/a	256Kb, 32K x 8 SRAM w/OE, 55ns, 5.0V, 28 pin-600mil CDIP, Industrial
MT5C2568CW-55/XT	n/a	256Kb, 32K x 8 SRAM w/OE, 55ns, 5.0V, 28 pin-600mil CDIP, Mil-Temp
MT5C2568CW-55/883C	8866203XA	256Kb, 32K x 8 SRAM w/OE, 55ns, 5.0V, 28 pin-600mil CDIP, Full Mil
MT5C2568CW-70/IT	n/a	256Kb, 32K x 8 SRAM, 70ns, 5.0V, 28 pin-600mil CDIP, Industrial
MT5C2568CW-70/XT	n/a	256Kb, 32K x 8 SRAM, 70ns, 5.0V, 28 pin-600mil CDIP, Mil-Temp
MT5C2568CW-70/883C	8866202XA	256Kb, 32K x 8 SRAM, 70ns, 5.0V, 28 pin-600mil CDIP, Full Mil
MT5C2568CW-100/IT	n/a	256Kb, 32K x 8 SRAM, 100ns, 5.0V, 28 pin-600mil CDIP, Industrial
MT5C2568CW-100/XT	n/a	256Kb, 32K x 8 SRAM, 100ns, 5.0V, 28 pin-600mil CDIP, Mil-Temp
MT5C2568CW-100/883C	8866201XA	256Kb, 32K x 8 SRAM, 100ns, 5.0V, 28 pin-600mil CDIP, Full Mil
MT5C2568ECW-12/IT	n/a	256Kb, 32K x 8 SRAM, 12ns, 5.0V, 32 LCC, Industrial
MT5C2568ECW-12/XT	n/a	256Kb, 32K x 8 SRAM, 12ns, 5.0V, 32 LCC, Mil-Temp
MT5C2568ECW-12/883C	8866209YA	256Kb, 32K x 8 SRAM, 12ns, 5.0V, 32 LCC, Full Mil
MT5C2568ECW-15/IT	n/a	256Kb, 32K x 8 SRAM, 15ns, 5.0V, 32 LCC, Industrial
MT5C2568ECW-15/XT	n/a	256Kb, 32K x 8 SRAM, 15ns, 5.0V, 32 LCC, Mil-Temp
MT5C2568ECW-15/883C	8866208YA	256Kb, 32K x 8 SRAM, 15ns, 5.0V, 32 LCC, Full Mil
MT5C2568ECW-20/IT	n/a	256Kb, 32K x 8 SRAM w/OE, 20ns, 5.0V, 32 LCC, Industrial
MT5C2568ECW-20/XT	n/a	256Kb, 32K x 8 SRAM w/OE, 20ns, 5.0V, 32 LCC, Mil-Temp
MT5C2568ECW-20/883C	8866207YA	256Kb, 32K x 8 SRAM w/OE, 20ns, 5.0V, 32 LCC, Full Mil
MT5C2568ECW-25/IT	n/a	256Kb, 32K x 8 SRAM w/OE, 25ns, 5.0V, 32 LCC, Industrial
MT5C2568ECW-25/XT	n/a	256Kb, 32K x 8 SRAM w/OE, 25ns, 5.0V, 32 LCC, Mil-Temp
MT5C2568ECW-25/883C	8866206YA	256Kb, 32K x 8 SRAM w/OE, 25ns, 5.0V, 32 LCC, Full Mil
MT5C2568ECW-35/IT	n/a	256Kb, 32K x 8 SRAM w/OE, 35ns, 5.0V, 32 LCC, Industrial
MT5C2568ECW-35/XT	n/a	256Kb, 32K x 8 SRAM w/OE, 35ns, 5.0V, 32 LCC, Mil-Temp
MT5C2568ECW-35/883C	8866205YA	256Kb, 32K x 8 SRAM w/OE, 35ns, 5.0V, 32 LCC, Full Mil
MT5C2568ECW-45/IT	n/a	256Kb, 32K x 8 SRAM w/OE, 45ns, 5.0V, 32 LCC, Industrial
MT5C2568ECW-45/XT	n/a	256Kb, 32K x 8 SRAM w/OE, 45ns, 5.0V, 32 LCC, Mil-Temp
MT5C2568ECW-45/883C	8866204YA	256Kb, 32K x 8 SRAM w/OE, 45ns, 5.0V, 32 LCC, Full Mil
MT5C2568ECW-55/IT	n/a	256Kb, 32K x 8 SRAM w/OE, 55ns, 5.0V, 32 LCC, Industrial
MT5C2568ECW-55/XT	n/a	256Kb, 32K x 8 SRAM w/OE, 55ns, 5.0V, 32 LCC, Mil-Temp
MT5C2568ECW-55/883C	8866203YA	256Kb, 32K x 8 SRAM w/OE, 55ns, 5.0V, 32 LCC, Full Mil
MT5C2568ECW-70/IT	n/a	256Kb, 32K x 8 SRAM, 70ns, 5.0V, 32 LCC, Industrial
MT5C2568ECW-70/XT	n/a	256Kb, 32K x 8 SRAM, 70ns, 5.0V, 32 LCC, Mil-Temp
MT5C2568ECW-70/883C	8866202YA	256Kb, 32K x 8 SRAM, 70ns, 5.0V, 32 LCC, Full Mil
MT5C2568ECW-100/IT	n/a	256Kb, 32K x 8 SRAM, 100ns, 5.0V, 32 LCC, Industrial
MT5C2568ECW-100/XT	n/a	256Kb, 32K x 8 SRAM, 100ns, 5.0V, 32 LCC, Mil-Temp
MT5C2568ECW-100/883C	8866201YA	256Kb, 32K x 8 SRAM, 100ns, 5.0V, 32 LCC, Full Mil

Please visit Austin Semiconductor's website at www.austinsemiconductor.com for the latest product literature.
If you have any questions regarding this Product Change Notification, please do not hesitate to contact me directly.

Regards,



Marty Steele
Product Marketing Specialist
Austin Semiconductor, Inc.
8701 Cross Park Drive
Austin, TX 78754

Main #: 512-339-1188
Direct #: 512-719-7259
Email: msteele@austinsemiconductor.com